

Omitted Decompression Procedure

If for whatever reason you find yourself in a omitted decompression situation, the following procedure is recommended by the US Navy.

If no evident signs of DCI are present and descending within 5 min from surfacing is possible use the following procedure.

Return and complete all stops greater than 12 M, then ascend to:	
Meters	Stop Time
12 M	1/4 times of the 3 M stop
9 M	1/3 times of the 3 M stop
6 M	1/2 times of the 3 M stop
3 M	1 1/2 times of the 3 M stop

Missed Decompression Procedures

If for whatever reason you miss any of your decompression stops the following procedures are recommended by Diving Science And Technologies.

<p>Missed Deco Stop - Immediate Redescent Immediately redescend (within 1 min) Complete the stop plus 1 min Decompress according to normal schedule</p>
<p>Missed Deco Stop - Redescent Not Possible Stay at the next stop for combined time of both stops Extend 6M/20ft stop and final stop by 1.5 times normal deco time</p>
<p>Delay In Ascent - Before Reaching First Stop Add delay to bottom time and decompress on new schedule Extend final stop as much as practicable, gas allowing</p>
<p>Delay In Ascent - Between Stops Not critical if not longer than 2-3 minutes Do not count delay time as deco time Extend final stop as much as practicable</p>